



LAMPES A PORTER

COLLECTION

POLDINA

TABLE

# POLDINA

TABLE



LAMPES A PORTER

LED dimmable IP65 III CE



Poldina pro is a rechargeable table lamp, with contact charging base, painted aluminum body, polycarbonate diffuser and LED light source.

The lamp is switched on and off by a touch button located on the top of the diffuser; with the same button it is possible to dim the intensity of the luminous flux and adjust the color temperature of the light, choosing between 2700 and 3000K. The lamp also has a dimmer memory function (when the lamp is switched on, the light intensity will correspond to that previously set) and an IP65 degree of protection which makes it suitable for both indoor and outdoor use.

Battery life is guaranteed for more than 9 hours.

The lamps with gold, chrome and silver finish are not recommended for continuous outdoor use.

Available on request:

customized painting with RAL colours and logo pad-printing service (with minimum ordering quantities).

Accessories:

- Multi-contact charging base (max 6 pc) - LD0350RP
- Multi-socket USB charger (8xUSB) - LD0340RA
- Replacement battery pack BAT04703706701900

| CODE      | COLOR       |  |
|-----------|-------------|--|
| LD0340A3  | Avio blue   |  |
| LD0340B3  | White       |  |
| LD0340BFA | Silver leaf |  |
| LD0340BFO | Gold leaf   |  |
| LD0340F3  | Red         |  |
| LD0340G3  | Sage green  |  |
| LD0340M3  | Dark green  |  |
| LD0340N3  | Dark grey   |  |
| LD0340P3  | Pink        |  |
| LD0340R3  | Rust        |  |
| LD0340RFR | Copper leaf |  |
| LD0340S3  | Sand        |  |
| LD0340X3  | Bordeaux    |  |

## DIMENSIONS AND HOLES

Dimensions  $\varnothing$  11 - h 38 cm /  $\varnothing$  4,3 - h 15 in

#### ILLUMINOTECHNICAL SPECIFICATIONS

|                    |                   |
|--------------------|-------------------|
| Source             | LED               |
| Type               | SMD               |
| Total Watt         | 2,2 W             |
| Lumen lamp         | 192 - 200 lm      |
| Colour temperature | 2700 - 3000 K     |
| CRI                | >80               |
| Dimmer             | TOUCH dimmer      |
| Autonomy           | 9 hours           |
| Lamp life          | about 450 charges |

#### ILLUMINOTECHNICAL SPECIFICATIONS

|           |  |
|-----------|--|
| Voltage   | 220-240 V  |
| Frequency | 50 - 60 HZ   |
| Battery   | lithium battery (18650/2200mAh*2) INCLUDED - REPLACEABLE |
| Charge    | 6 hours  |

#### PHYSICAL SPECIFICATIONS

|                     |         |
|---------------------|---------|
| Thermal dissipation | passive |
|---------------------|---------|

We reserve the right to change the specifications of our product. For the latest information on the product visit [www.zafferanoitalia.com](http://www.zafferanoitalia.com)